



*Twoje okno na świat*


# „TERMO PROFIL” sp. z o.o.

Zakład produkcyjny 44-300 Wodzisław ŚL.  
Ul. Górnicza 17 E tel. (032) 456-22-00; fax. (032) 456-22-62

## PVC WINDOWS AND DOORS FACTORY

### UTILITY PROPERTIES DECLARATION

No. ORDER



1. Unique identification code of the product: **GEALAN S8000-2**
2. Batch number: **No. ORDER**
3. Intended application: Windows and doors intended for application in building facilities according to Art. 2 section 3 CPR
4. Product manufacturer:  
**TERMO PROFIL Sp. z o. o. ul. Górnicza 17E, 44-300 Wodzisław Śląski**  
Trade name: available on the website [www.termoprofil.eu](http://www.termoprofil.eu)
5. The system of assessment and verification of the continuity of utility properties acc. to the Regulation of the European Parliament and EU Council no. 305/2011, Appendix V **system 3**
6. Name and identification number of the notified unit  
**Laboratorium Techniki Budowlanej Dąbrowa Górnicza,**  
**numer notyfikacji/Notified body/ 1827**  
Conducted research ITT in system 3
7. Declared utility properties

Principal characteristics		Utility properties		Harmonised technical specification
Waterproofness [Pa]		7A (300[Pa])		PN EN14351-2010+A1
Air tightness [Pa]		4 (600[Pa])(3m <sup>3</sup> /h*m <sup>2</sup> )(0,75m <sup>3</sup> /h*m)		PN EN14351-2010+A1
Resistance to wind load [Pa]		Trial pressure P1 [Pa] - 2 (800[Pa]) (frame bend) – C (≤ 1/300)		PN EN14351-2010+A1
Thermal insulation [W/m <sup>2</sup> *K]		1,3**		PN EN14351-2010+A1
Acoustic properties Rw dB		*		PN EN14351-2010+A1
For a window with total surface of F ≤ 2,7m <sup>2</sup>	For a window with total surface of 2,7m <sup>2</sup> < F ≤ 3,6 m <sup>2</sup>	For a window with total surface of 3,6m <sup>2</sup> < F ≤ 4,6m <sup>2</sup>	For a window with total surface of F > 4,6m <sup>2</sup>	
32dB	31dB	30dB	29dB	
Hazardous substances		npd		PN EN14351-2010+A1
Load capacity of the security devices		350N		PN EN14351-2010+A1

\* Rw value determined according to pt. B3 of appendix B to the standard EN 14351-1+A1 for a glazed window with Rw value = 32dB

\*\* Uw value determined for a reference window 1.23m x 1.48m, with glazing, with Ug value = 1,1 W/m<sup>2</sup>K and aluminium distance frame

The utility properties of the product in pts 1 and 2 are compliant with the utility properties declared in pt. 7

This utility properties declaration is issued at the sole liability of the manufacturer specified in pt. 4

Signed on behalf of the manufacturer by

Łyczko Michał

.....  
/Surname and Name/

.....  
/date/

.....  
/signature/